HP Color LaserJet Managed MFP E785dn Printer Series



Powerful, Flexible, Secure,

Change is the only constant in business. Advance your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers you'll stay secure and simplify fleet management for busy IT pros.



Unleash peak productivity.

- Tackle anything with our powerful processor. Maximize your productivity and increase your overall print performance by copying, scanning and printing documents of all sizes at virtually full speed.
- Increase your day-to-day productivity with our industry leading, single pass 120 ipm ² duplex scanning.
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons on the 8-inch color touchscreen display.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart ³ firmware.

Customizable solutions built to last.

- Make your day-to-day more productive with customized experiences with cloud-connected HP Workpath apps 5 that let you access personalized content, integrate paper and digital workflows.
- Unleash your creativity and match any office decor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform, containing hundreds of HP and third-party solutions as well as card reader support.
- Make color management simple & seamless with our HP Custom Color Manager. Match color output of any document/device combination without the hassle of expensive color matching systems.

Always on guard with HP Wolf Security. 6

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified ⁷ to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time
- HP Memory Shield™ is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

Better printing, for a better planet.

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic. 9 Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel. 10
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.

Product walkaround

- 1. Flatbed scanner handles sheets up to 11x17-inch (297 x 432 mm)
- 2. 500-sheet output bin
- 3. Automatic two-sided printing
- 4. Easy-access USB port1
- 5. Front door access to toner cartridges
- 6. Slot for cable-type security lock
- 7. Super Speed USB 3.0 Host Port
- 8. Hi-Speed USB 2.0 Host Port
- 9. Gigabit Ethernet Port
- 10. Hi-Speed USB 2.0 device port
- 11. 520-sheet tray 3 supports media sizes up to A3 (11x17-inch)
- 12. 100-sheet dual side ADF supports media sizes up to A3 (11x17-inch)
- 13. 8.0-inch color touchscreen display (20.3 cm)
- 14. Power button
- 15. Hardware Integration Pocket (for connecting accessory and third-party devices)²
- 16. Right door access to the print path
- 17. 100-sheet multipurpose tray 1 supports media sizes up to A3 (11x17-inch)
- 18. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 19. Optional 2 x 520-sheet dual tray/stand supports media sizes up to A3 (11x17-inch)



Series at a glance

| Model | HP Color LaserJet Managed MFP E785dn | | | |
|---|---|---|--|--|
| Product number | 5QJ83A | 5QJ83A (Base) + 8EP54AAE (Speed license) | 5QJ83A (Base) + A00WQAAE or A00WRAAE(Speed license) | |
| Print speed (A4 and letter, Black and color) ³ | Up to 23 ppm | Up to 28 ppm | Up to 30 ppm | |
| Scan speed (A4 and letter, Black and color) ⁴ | 60 ppm/120 ipm, simplex/duplex (both models) | | | |
| Functions | Print, copy, and scan (fax and wireless optional) (both models) | | | |

¹ An administrator must enable the easy-access USB port before use. 2 Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. 3 Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Top features

Get more done faster with leading printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quad-core processor.

Tailored on-device and cloud connected solutions to help optimize your workflows with flexibility to support your workforce today and evolve to meet your demands for tomorrow.

HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats. We keep trouble out so you can

Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

Services and Solutions

| Service and Support | U09LGE - HP 1 year Next Business Day with DMR Service for Color LaserJet Managed MFP E785xx U29DPE - HP 3 year Next Business Day with DMR Service for Color LaserJet Managed MFP E785xx U36LGE - HP 4 year Next Business Day with DMR Service for Color LaserJet Managed MFP E785xx U36LGE - HP 3 year Next Business Day with DMR Service for Color LaserJet Managed MFP E785xx U36LGE - HP 3 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E785xx U36LJE - HP 4 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E785xx U36LKE - HP 5 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E785xx U36LKE - HP 1 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E785xx (Managed Component Only) U36LME - HP 3 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E785xx (Managed Component Only) U36LME - HP 4 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E785xx (Managed Component Only) U36LME - HP 5 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E785xx (Managed Component Only) U36LQE - HP 5 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E785xx (Managed Component Only) U36LSPE - HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E785xx U36LSPE - HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E785xx U36LSPE - HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E785xx U36LSPE - HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E785xx U36LSPE - HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E785xx U36LSPE - HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E785xx U36LSPE - HP 2 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E785xx U36LSPE - HP 2 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E785xx |
|---------------------|---|
| Solutions | Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Custom Color Manager; HP Command Center; HP Smart Printer Administrator's Resource Kit |

| Data SHEEL I HP CC | vioi razeijei | t Managed M-P E785dn Printer Series | | |
|--------------------|------------------|--|--|--|
| Accessories | 155P7A | HP LaserJet InnerFinisher 2/3 Hole Punch | | |
| | 155P8A | HP LaserJet InnerFinisher 2/4 Hole Punch | | |
| | 155P9A | HP LaserJet Inner Finisher Swedish Hole Punch | | |
| | 190A0A | HP Color LaserJet Workgroup Lunar Gray Color Panel | | |
| | 190A0A 190A6A | TIF CUOI Case Jet Workgroup 2x520 sheet Paper Tran/Stand Lunar Gray Color Panel HP Laser Jet Workgroup 2x520 sheet Paper Tran/Stand Lunar Gray Color Panel | | |
| | 190A6A 190A9A | THE Laser Jet Workgroup Stand Lunar Gray Color Panel HP Laser Jet Workgroup Stand Lunar Gray Color Panel | | |
| | 190A9A 190B0A | HP Caser Jet workgroup Samet Red Color Panet HP Color Laser Jet Workgroup Comet Red Color Panet | | |
| | 190B6A | nP Cubi Laser Jet Workgroup Contex Red Cubi Paniel HP Laser Jet Workgroup 2x520 Sheet Paper Tray/Stand Comet Red Color Panel | | |
| | 190B0A | THE Laser Jet Workgroup Stand Comet Red Color Panel HP Laser Jet Workgroup Stand Comet Red Color Panel | | |
| | 19069A 190C0A | HP Color LaserJet Workgroup Cosmic Green Color Panel HP Color LaserJet Workgroup Cosmic Green Color Panel | | |
| | 190C0A 190C6A | nP Cubi. Caser Jet Workgroup Cosnic Green Cubi. Panet HP Laser Jet Workgroup 2x520 sheet Paper Trany/Stand Cosmic Green Color Panet | | |
| | 190C6A 190C9A | HP LaserJet Workgroup Stand Cosmic Green Color Panel HP LaserJet Workgroup Stand Cosmic Green Color Panel | | |
| | 190C9A 190D0A | HP Color Laser Jet Workgroup Constellation Yellow Color Panel | | |
| | 190D0A 190D6A | THE CUCIL CASE JEEF WORKGOOD CONSECUENT FELLOW COLD FAIRED. HP LASSE JEEF WORKGOOD CONSECUENT FELLOW COLD FAIRED. HP LASSE JEEF WORKGOOD CONSECUENT FELLOW COLD FAIRED. HP LASSE JEEP WORKGOOD CONSECUENT FELLOW COLD FAIRED. HE LA | | |
| | 190D6A 190D9A | THE Laser Jet Workgroup Stand Constellation Yellow Color Panel HP Laser Jet Workgroup Stand Constellation Yellow Color Panel | | |
| | 190D9A 190F0A | THE LASELECT WINDOWS STATE CONTROLLED OF COLD FAIRE. HP Color LaserJet Workgroup Aurora Purple Color Panel. | | |
| | 190F6A | THE COURT CASE JEEF WORKGOODEN AURONE A DIEJE COURT FAIRE OF THE COURT CASE JEEP WORKGOODEN AURONE A DIEJE COURT FAIRE OF THE C | | |
| | 190F6A 190F9A | THE Laser Jet Workgroup Stand Aurora Purple Color Panel HP Laser Jet Workgroup Stand Aurora Purple Color Panel | | |
| | 2NR12A | THE LOSE DECENTING DUE STATE OF THE COLOR PAINES. HP Removable Hard Drive Enclosure | | |
| | 2TD64A | THE RETROGRAME HAIR OF THE LITEUS SILE. HE ACCESSIBILITY KIT. | | |
| | 35H11A | THE RECESSIONLY NEED. HP HID Mobile Access Mifare DES Fire Keystroking Reader | | |
| | 3JN69A | THE INDIFICULT ACCESS MILITIES LET LET RESPONDENT REQUEST. HE JET LET LET LET LET LET LET LET LET LET L | | |
| | 478C2A | HP Printing Voice Assistant | | |
| | 476CZA 4QL32A | HP Legic Secure USB Reader | | |
| | 4QL32A 4XN67A | Internal USB Expansion Kit | | |
| | 5QK14A | THE MEDIA COST EXPANSION INCL. HP MEP 810 Analog Dual Fax | | |
| | 6GW46A | HP LaserJet 2x520 sheet Workgroup Paper Tray/Stand | | |
| | 6GW49A | HP LaserJet Inner Finisher | | |
| | 6GW52A | HP LaserJet Workgroup Job Separator | | |
| | 6GW54A | HP LaserJet Workgroup Stand | | |
| | 6HN31A | HP 500GB CCC, FIPS, TAA Hard Disk Drive | | |
| | 766R7A | HP LaserJet 512 GB SED-TAA Full Kit SSD | | |
| | 7ZA07A | HP MFP 811 Analog Dual Fax | | |
| | 7ZA08A | HP MFP 800 Analog Single Fax | | |
| | 7ZA09A | HP MFP 801 Analog Single Fax | | |
| | 8FP31A | HP Jetdirect LAN Accessory | | |
| | 9EQ11A | HP 500GB CCC, FIPS Hard Disk Drive | | |
| | B5L31A | HP Foreign Interface Harness | | |
| | CC543B | HP SmartCard NIPRNet Solution for US Government | | |
| | F8B30A | HP SmartCard SIPRNet Solution for US Government | | |
| | X3D03A | HP USB Universal Card Reader | | |
| | Y1G13A | HP Laser Jet Inner/Booklet Staples | | |
| | Y1G22A | HP Laser Jet Paper Tray Heaters Accessory | | |
| | Y1G23A | HP Laser Jet Second Exit Accessory | | |
| | Y7C05A | HP HIP2 Keystroke Reader | | |
| | Y7C07A | HP SIM for HID iClass for HIP2 Reader | | |
| Speed Licenses | | HP Color LaserJet Managed MFP E785 23 to 28ppm License HP Color LaserJet Managed MFP E785 23 to 30ppm License | | |
| | | HP Color LaserJet Managed MFP E785 28 to 30ppm License HP Color LaserJet Managed MFP E785 28 to 30ppm License | | |

Technical specifications

| Functions | | | | | |
|---|--|---|--|--|--|
| Print speed ^{2,3} | Print, copy, scan, fax (optional) | | | Up to 30 ppm (with A00WQAAE, with | |
| riiit speeu , | Letter Black | Up to 23 ppm | Up to 28 ppm (with 8EP54AAE) | A00WRAAE) Up to 30 ppm (with A00WQAAE, with | |
| | Letter Color | Up to 23 ppm | Up to 28 ppm (with 8EP54AAE) | A00WRAAE) Up to 21.5 ipm (with A00WQAAE, with | |
| | Letter Black Duplex | Up to 16 ipm | Up to 21 ipm (with 8EP54AAE) | AOOWRAAE) | |
| | Letter Color Duplex | Up to 16 ipm | Up to 21 ipm (with 8EP54AAE) | Up to 21.5 ipm (with A00WQAAE, with A00WRAAE) | |
| | First page out Letter Black | As fast as 10.2 sec | As fast as 9.0 sec (with 8EP54AAE) | As fast as 8.6 sec (with A00WQAAE, with A00WRAAE) | |
| | First page out Letter Color | As fast as 12.2 sec | As fast as 10.6 sec (with 8EP54AAE) | As fast as 10.2 sec (with A00WQAAE, with A00WRAAE) | |
| Print resolution | Black (normal): Up to 600 x 600 dpi; Black (fine lines): Up to 1200x1200 dpi reduced speed; Color (normal): Up to 600 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi reduced speed | | | | |
| Print technology | Laser | | | | |
| Print cartridges number | 4 (1 each black, cyan, magenta, yellow) | | | | |
| Standard print languages | HP PCL 5c, HP PCL 6, HP Postscript level 3 e | emulation, PDF (v 1.7), AirPrint™ co | ompatible | | |
| Printer smart software features | Print preview, duplex printing, print multiple | e pages per sheet (2, 4, 6, 9, 16), co | ollation, watermarks, store print jobs, easy-access US | В | |
| Color scanning | Yes | | | | |
| Scan speed Normal ⁶ | Up to 60 ppm/120 ipm (b&w), up to 60 ppn | n/120 ipm (color) Duplex: Up to 12 | 20 ipm (b&w), up to 120 ipm (color) | | |
| Scan type / Technology | ADF; Flatbed / Contact Image Sensor (CIS) | | | | |
| Scan resolution | Hardware: Up to 600 x 600 dpi; Optical: UP to 600 x 600 dpi | | | | |
| Scan file format ¹⁰ | JPEG; TIFF; MTIFF; XPS; PDF; A; Hi-Compression PDF; Hi-Compression PDF/A; Searchable PDF (OCR); Searchable PDF/A (OCR); Hi-Compression Searchable PDF/A (OCR) | | | | |
| Scan input modes | Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath applications | | | | |
| Scan Size | ADF Maximum: 11.7 x 17 in ADF Minimum: 4.1 x 5 in Flatbed: 11.69 x 17 in | | | | |
| Duplex ADF scanning | Yes, single pass duplex scanning | | | | |
| ADF capacity | Standard, 100 sheets | | | | |
| Twain version | Version 2.4 | | | | |
| Bit depth / Grayscale levels | 24-bit/256 | | | | |
| Digital sending standard features ⁹ | Embedded OCR; Scan to Onedrive; Scan to Onedrive for Business; Scan to Sharepoint Online; Scan to Email; Scan to network folder; Scan to USB drive; Scan to SharePoint; Scan to FTP; Scan to STP; Scan to LAN fax; Scan to Internet Fax; Local address book; SMTP over SSL; Automatically detect color/monochrome; High compression PDF; Image adjustmen (darkness, contrast, background cleanup, sharpness); Optimize text/picture (text, mixed, printed picture, photograph); Content orientation; Scan mode (book, 2-sided ID); Erase edges; Auto page crop; Job build; Image preview; Blank page suppression; Automatically straighten | | | | |
| Copy speed ⁸ | Letter Black | Up to 23 cpm | Up to 28 cpm (with 8EP54AAE) | Up to 30 cpm (with A00WQAAE, with A00WRAAE) | |
| | Letter Color | Up to 23 cpm | Up to 28 cpm (with 8EP54AAE) | Up to 30 cpm (with A00WQAAE, with A00WRAAE) | |
| | Letter Black Duplex | Up to 16 cpm | Up to 21 cpm (with 8EP54AAE) | Up to 21.5 cpm (with A00WQAAE, with A00WRAAE) | |
| | Letter Color Duplex | Up to 16 cpm | Up to 21 cpm (with 8EP54AAE) | Up to 21.5 cpm (with A00WQAAE, with A00WRAAE) | |
| | First copy out Letter Black | As fast as 7.3 sec | As fast as 6.0 sec (with 8EP54AAE) | As fast as 5.6 sec (with A00WQAAE, with A00WRAAE) | |
| | First copy out Letter Color | As fast as 9.5 sec | As fast as 8.0 sec (with 8EP54AAE) | As fast as 7.6 sec (with A00WQAAE, with A00WRAAE) | |
| Copy resolution | Black (text and graphics): ; Up to 600 x 600 | dpi ; Color (text and graphics): Up t | to 600 x 600 dpi | | |
| Maximum number of copies | Up to 9999 copies | | | | |
| Copier resize | 25 to 400% | | | | |
| Copier settings | (book, 2-sided ID); Stamps; Image overlay; | | ıt; Job build; N or Z-ordering; N-up; Optimize; Two-sid selection; Blank page suppression; Scan to job stora <u>c</u> | | |
| Fax speed | Up to: 33.6 kbps / Letter: 3 sec per page | | | | |
| Fax resolution | Black (best): Up to 300 x 300 dpi (400 x 400 | | • | | |
| Fax Features | Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwarding supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No | | | | |
| Standard connectivity | 1 Gigabit Ethernet 10/100/1000T network; (host) | 1 Hardware Integration Pocket 2nd | d generation (HIP2); 1 Hi-Speed USB 2.0 (device); 1 H | i-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 | |
| Network capabilities ¹¹ | Standard (built-in Gigabit 10/100/1000T Ethernet); Microsoft Universal Print (MUP) support | | | | |
| Wireless capability | Optional, enabled with purchase of a hardware accessory | | | | |
| Mobile printing capability | Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print | | | | |
| Memory | Standard:6GB; Maximum:6GB | | | | |
| Processor speed | Quad Core (1.6 GHz)+Dual Core (1.4GHz); SSD(766R7A): Optional, HP LaserJet 512 GB SED-TAA Solid State Drive / Hard disk: Standard, 32GB eMMC; Optional, HP LaserJet 500GE Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk) | | | | |
| Duty cycle (monthly) | Letter: | Up to 60,000 pages | Up to 80,000 pages (with 8EP54AAE) | Up to 80,000 pages (with A00WQAAE, wit A00WRAAE) | |
| Recommended monthly page volume | Up to 16,000 | | | | |

Technical specifications

| Paper handling | Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 10 envelopes; Input Capacities, Max: Up to 2180 sheets (Tray1: up to 100 sheets; Tray 2, 3, 4 & 5: up to 520 sheets); Output Capacities: Up to 500 sheets Standard; Up to 100 sheets Transparencies; Duplex Options: Automatic; Envelope feeder: No; Standard paper trays: 3 | | |
|-------------------------------------|---|--|--|
| Media types supported | Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 11 Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, Card stock 176-220g, V Transparency, Labels, Letterhead, Envelope, Preprinted, Pre-punched, Colored | | |
| Media weight supported | Tray 1: 16 to 47 lb bond; Tray 2, 3: 16 to 58.5 lb bond | | |
| Media sizes supported | Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio8.5X13, 11 x 17, 4 x 6, 5 x 7, 5 x 8,10 x 15, 8k, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 2: Letter, Letter R, Legal, Executive, Statement, Oficio, 4 x 6, 5 x 7, 5 x 8, 16k; Tray 3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 8k, 16k | | |
| Media Sizes Custom | Tray 1: 3.86 × 5.83 to 11.69 × 17 in; Tray 2: 5.48 × 8.27 to 11.69 × 14.33 in; Tray 3: 5.48 × 8.27 to 11.69 × 17 in | | |
| What's in the box | 5QJ83A In box materials, Guide install, Flyer Regulatory, Power Cords, Label, Drums. | | |
| Replacement cartridges ¹ | HP Black Managed LJToner Cartridge (ISO Yield 12,500) W9120MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 10,000) W9121MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 10,000) W9123MC, HP Black Managed LJ Toner Cartridge (ISO Yield 25,000) W9130MC, HP CM Managed LJ Toner Cartridge (ISO Yield 20,000) W9131MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 20,000) W9132MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 20,000) W9133MC | | |
| Product dimensions | W x d x h: 22.3 x 25.4 x 33.4 in; Maximum : 53.9 x 47.1 x 46.1 in; | | |
| Product weight | 171.5 lb; | | |
| Warranty features | 90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to le about HP award winning service and support options in your region. | | |
| Energy star certified | Yes | | |
| Ecolabels | IT ECO Declaration; Blue Angel; EPEAT® registered; ENERGY STAR® certified | | |
| Control panel | 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker | | |
| Display description | 8-in (20.3 cm) touchscreen, XGA Color Graphic Display (CGD) | | |
| Software included | No software solutions are included in the Box only on http://hp.com http://123.hp.com | | |
| Security management | Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield [™] , Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs | | |
| | ns Windows 11; Windows 10; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey | | |
| systems | ng Windows Server; Linux; Citrix; UNIX; Novell | | |
| Minimum system requireme | nts PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com | | |
| Power ⁵ | Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 10.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 5.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 23ppm: 600 watts (32ppm printing), 27.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off); 28ppm: 700 watts (28ppm, printing), 27.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (auto-off), 0.2 watts (manual-off); 20ppm, auto-off), 0.2 watts (30ppm, auto-off), 0.2 watts | | |
| Acoustics | Acoustic power emissions (active, printing): 6.58 Bel(A), printing color simplex A4 at 23ppm; 6.70 Bel(A), printing color simplex A4 at 28ppm; 6.70 Bel(A), printing color simplex A4 at 30ppm; Acoustic pressure emissions bystander (active, printing): 50 dB(A), printing color simplex A4 at 23ppm; 53 dB(A), printing color simplex A4 at 30ppm; Acoustic pressure emissions bystander (active scan): 53 dB(A), ADF scan A4 at 60ipm | | |
| Operating environment | Operating temperature range: 59 to 86°F; Recommended operating temperature: 59 to 86°F; Storage temperature range: 14 to 104°F; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH | | |

Messaging Footnotes

- HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit, hp.com/go/PrintersThatProtect. For more information, visit: hp.com/go/PrinterSecurityClaims

hp.com/go/PrintersThatProtect. For more information, visit: hp.com/go/PrinterSecurityClaims
3 scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
3 scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
3 scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
4 HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin
5 ased on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required.
7 HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details.
7 Hird-party certification based on Common Criteria Information Technology Security Evaluation is ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportalorg/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf
8 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers.
9 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers.
1 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See hp.com/go/TonerRecycledContent for list. Hardware based: Post-normal recycled i

Technical Specifications Footnotes

- ¹/₂ Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies.

 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- A Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel.

 Thirds | Green the printer is the printer is proceeded the busical electricity consumed by a product during 1 work measured in kilowatt-bours (MMh)
- Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

- 6 JyDical Electricity Consumption (1EQ) rating represents the typical electricity Consumed by a product during 1 week, measured in kilowatt-nours (kwn).

 7 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

 8 EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

 8 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see hp.com/go/printer claims. Exact speed varies depending on the system configuration and document.

 9 OCR requires HP EntureSmart 5.8.1.1 or later. Scan to Onedrive, Scan to Onedrive, Scan and Scan to Sharepoint Online requires HP EntureSmart 5.8 or later.

 10 For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT). OCR requires HP FutureSmart 5.8.1.1 or later.
- Requires HP FutureSmart 5.8.1.1 or later

















